DOC11R

## Case Management System - KY Public Service Commission

Regular Cases Before the Commission as of March 13, 2025

**2021-00211** RECEIVED: 06/07/21 FILED: 06/07/21 FINAL: 08/01/22 REOPENED:

SUSPENSION DATE:

**CASE CODE** 

Investigation - Rates, Service

**UTILITIES:** 

**Union County Water District** 

**INDEX OF EVENTS:** 

08/01/22 Final Order Entered: this case shall be closed and removed from the Commission's docket.

10/05/21 Stephen M. Arnett Union County Water District Documentation requested by PSC by Order entered

September 27, 2021 and October 4, 2021.

09/27/21 COMMISSION STAFF'S FIRST REQUEST FOR INFORMATION TO UNION COUNTY WATER

DISTRICT

07/22/21 Memo Filing Verification into the Record

07/09/21 Memo dated 07/08/2021 Filing Email into the Record

06/16/21 Stephen Arnett Union County Water District Documents requested by the Kentucky PSC by Order

entered June 7, 2021.

06/07/21 Order Entered: 1. This case is opened to investigate Union District's operational and financial status.

2. The record of Case No. 2021-00180 is incorporated by reference into this proceeding. 3. The

information requested in the Appendix to this Order is due by June 21,

2021. a. Responses to requests for information in paper medium shall be appropriately bound, tabbed, and indexed. Electronic documents shall be in portable document format (PDF), shall be searchable, and shall be appropriately bookmarked. Each response shall include the name of the witness responsible for responding to the questions related to the information provided. b. Each response shall be answered under oath or, for representatives of a public or private corporation or a partnership or association or a governmental agency, be accompanied by a signed

certification of the preparer or the person supervising the preparation of the response on behalf of the entity that the response is true and accurate to the best of that person's knowledge, information,

and belief formed

after a reasonable inquiry.

Total Number of Cases: 1