

Eng.

RULES AND REGULATIONS  
(Cont'd.)

VII. Upon compliance with the foregoing provisions, the  
(N) Company will extend its distribution mains without  
cost up to but not more than a distance of two hundred  
(200) feet for each prospective domestic customer who  
agrees to utilize gas as the major source of energy  
for air conditioning, space heating and water heating.

*5-26/60*

(N) New Text

**FILED**  
JUN - 2 1960 *lu*  
**PUBLIC SERVICE  
COMMISSION**

DATE OF ISSUE: June 1, 1960      DATE EFFECTIVE: June 1, 1960  
ISSUED BY: *W.P. Cox*      Vice President      Charleston, West Va.  
Name of Officer      Title      Address

Schedule G-1  
(Cont'd.)

date of the revised base rate, but not less than thirty days from the date of the filing of the above prescribed information, issue its Order setting out the purchased gas adjustment that the utility shall apply to its rates and/or such refunds as may be proper.

The maximum amount of the adjustment so prescribed shall not produce revenue adjustments based upon the actual preceding twelve months period, greater than the difference between the purchased gas billed at the then existing rate and the purchased gas billed at the revised rate.

**APPROVED**  
APR 21 1958 *AM*  
PUBLIC SERVICE COMMISSION  
ENGINEERING DIVISION

*6-5-61*

Schedule G-2  
(Cont'd.)

date of the revised base rate, but not less than thirty days from the date of the filing of the above prescribed information, issue its Order setting out the purchased gas adjustment that the utility shall apply to its rates and/or such refunds as may be proper.

The maximum amount of the adjustment so prescribed shall not produce revenue adjustments based upon the actual preceding twelve months period, greater than the difference between the purchased gas billed at the then existing rate and the purchased gas billed at the revised rate.

**APPROVED**  
APR 21 1958 *DN*  
PUBLIC SERVICE COMMISSION  
ENGINEERING DIVISION

*G-5-61*